

NEW MEMBERS

147 regular members and 88 junior members joined the Association in December 2020.

Regular

ALABAMA

Robin & Adam Benjamin, *Shelby*
 Brothers Cattle Co., *Boaz*
 Looney Lane, *Wing*
 Abigail McCord, *New Market*
 Gianluigi Mucci, *Anderson*
 Emily Ann Smith, *Dothan*
 Charles Spencer, *Vina*
 Stanford Farms, *Guin*

ALASKA

Julia M. Schirack, *Wasilla*

ARKANSAS

Grinder Farms, *Everton*
 Harrell Ridge LLC, *Gentry*
 Hooten Cattle Co., *Quitman*
 Nicolas Mesa, *Rector*
 The Rockin W Cattle Ranch, *New Edinburg*

CALIFORNIA

Sara Jean Coble, *Patterson*
 H&H Angus, *Merced*
 Wyatt James Perry, *Maxwell*

COLORADO

Rebecca Craig, *Wheat Ridge*
 JG Mill Iron LLC, *Greeley*
 Dean & Raymond Moltrer, *Trinidad*

FLORIDA

Lyons Show Cattle, *Mayo*

GEORGIA

A&T Farm, *Wrens*
 Cane Creek Farm, *Lafayette*
 Logan Clark, *Gainesville*
 Simmons Farm, *Haddock*
 David Suddeth, *Dalton*

IDAHO

Heston Curtis, *Twin Falls*
 Brian Fletcher, *Kuna*

Josey Gay, *Jerome*
 McCann Ranch & Livestock, *Lewiston*
 Rocky Ridge Cattle, *Caldwell*

ILLINOIS

CM Cattle Co., *Windsor*
 CAP Farms, *Stonington*
 Karl Hokanson, *Ashkum*
 Derek Humphrey, *Dixon*
 Ashley Miller, *Atlanta*
 Rincker Cattle LLC, *Champaign*
 Douglas Thorman, *Macomb*
 Workman Family Farms, *Ingraham*

INDIANA

Cool Breeze Farms, *Edwardsport*
 Drake Cattle Co., *Brownstown*
 Kane Gable Ranch, *North Manchester*
 Ponderosa Cattle Ranch, *North Manchester*

IOWA

Jonnie Benshoof, *Winterset*
 Black Oak Farms, *Vinton*
 Dodd Farms, *Decorah*
 Dusty Greiman, *Waterloo*
 Don Guthridge Farms, *Kingsley*
 MK Livestock, *Conrad*
 William J. Swenka, *Tiffin*

KANSAS

6G Farm LLC, *Westmoreland*
 A&B Ranch, *Howard*
 Jeremy King, *Syracuse*
 Grace Shive, *Mount Hope*
 Sydnee Shive, *Mount Hope*

KENTUCKY

Bar SS Cattle Co., *Russellville*
 William Barrick, *Alvaton*
 Croghan Farms, *Hardyville*
 Indian Creek Angus Farms, *Sparta*
 Maple Lane Farm of Boone County, *Burlington*
 Richard Steele, *Paris*

LOUISIANA

Legacy Cattle Co., *Ringgold*
 T-A-T Farm, *Pineville*

MARYLAND

Brendel Farms, *Woodbine*

MICHIGAN

Cricket Willow Livestock, *Mason*

MINNESOTA

Faxon Creek Cattle, *Belle Plaine*
 ISLA GI Cattle Co., *Chatfield*

MISSISSIPPI

Gentry Gibson, *Guntown*

MISSOURI

808 LLC, *Anderson*
 Big Barren Creek Cattle Farm, *Doniphan*
 Horseshoe Ranch, *California*
 Jeff & DeAnn Lorberg, *Gordonville*
 Townsend Ranch & Cattle Co., *Goodman*

MONTANA

Erika Arnold, *Chinook*
 Black Diamond Angus, *Belgrade*
 Cash Angus, *Great Falls*
 Russell E. Quinlan, *Forsyth*

NEBRASKA

Andrew Cast, *Beaver Crossing*
 Mitchell Cornelius, *Madrid*
 Kyle Regan, *Ewing*
 Schweitzer Red Angus, *Milford*
 Upstream Ranch, *Taylor*

NEW MEXICO

Ross & Lisa Hall, *Milan*

NEW YORK

All Day Acres LLC, *Arcade*
 KAR-W Farms, *Woodhull*
 Richmond Center Farm LLC, *Richmond*

NORTH CAROLINA

Morazan Farms LLC, *Siler City*
Pokey's Place Ranch, *Lumberton*
Sanchez Farms LLC, *Seven Springs*

NORTH DAKOTA

Jade Koski, *Wing*
Wayne Dale Wilson, *Watford City*

OHIO

Barnhart Ridge Farm, *Lewisville*
Bennett Farms, *Ansonia*
Scott S. Burdette, *Tippecanoe*
Dale & Terri Forshey, *Wellston*
Golden Acres Farm LLC, *Hopewell*
Stanfield Farms, *Manchester*
Tumbling B Cattle Co., *Mount Perry*

OKLAHOMA

Ashlyn Dobbs, *Stillwater*
Makayla Dawn Green, *Paoli*
Layton Angus Ranch, *Ada*
Steven R. Parker, *Stilwell*
Rhoades Cattle Co., *Meers*
The Skard Ranch, *Tecumseh*

OREGON

Corrie E. Falleur, *Warrenton*
Four S Land & Cattle LLC, *Hereford*
Pat & Max McCammon, *Hereford*
Mountain Meadow Ranch, *Elgin*

PENNSYLVANIA

Cedar Hill Angus, *Peach Bottom*
Cherry Farms, *Tipton*
Evans Homestead, *Ebensburg*
Second Wind Farms, *Markleton*

SOUTH CAROLINA

Misty Hill Farm, *Walhalla*

SOUTH DAKOTA

Bar KB Cattle Co., *Redfield*
Hicks Angus, *White River*
Robert N. Joseph, *Winner*

TENNESSEE

Ken & Daniel Finchum, *New Market*
JB Farms, *Greeneville*

Ware Lonon Farms, *Brownsville*
Terrill Creek Cattle Co., *Rogersville*
Two Heifers Cattle Co., *Pikeville*
Winbush Farms, *Henderson*

TEXAS

4M Ranch, *Pattonville*
Baker Opportunity Management Inc., *Whitney*
Whitney Cartrite, *Sunray*
Randy Denton, *Grand Saline*
Ron & PJ Fecht, *Weatherford*
Foothill Cattle Co., *Abilene*
Braden Hillery, *Wichita Falls*
J. Biggs Livestock, *Seguin*
Smith Farm & Ranch, *Huntsville*

UTAH

7 Atwood Outlaws Livestock, *Ballard*
J&M Livestock, *Beaver*

VIRGINIA

Gilmer Family Angus, *Nickelsville*
Steven F. Kelly, *Gloucester*
Little D7 Ranch, *Jonesville*
Sammy K. Minor, *Bristol*
Jonathan M. Wood, *Critz*

WASHINGTON

Cowiche Mountain Ranch, *Yakima*
Garrett Palmer, *Moses Lake*
Patrick A. Scharf, *Prosser*

WISCONSIN

Brogley Properties LLC, *Cuba City*
Cattle Valley Ranch, *River Falls*
Double H Cattle & Grain, *Cassville*
TS Cattle Co. LLC, *Verona*
Jay & Linda Wittstock, *River Falls*

WYOMING

Ryan S. Wilson, *Bosler*

Junior

ARKANSAS

Elizabeth Covey, *Van Buren*

CALIFORNIA

Hailey Crawford, *Atascadero*
Dyllan Lopez, *Le Grand*

Jayson Lopez, *Le Grand*

COLORADO

Caleb Bennet Sumpter, *Branson*

FLORIDA

Carsen J. McKenzie, *Bell*

GEORGIA

Henry Andrew Stone, *Valdosta*

IDAHO

Tanisha Coffey, *Blackfoot*

ILLINOIS

Tobias Bennett, *Windsor*
Kade Gensini, *Hennepin*
Caleb Gentle, *Bradford*
Colby Gentle, *Bradford*
Riley Henry, *Harmon*
Wyatt Kamerer, *Philo*
Payton May, *Palmer*
Wesley Smith, *Jacksonville*
Presley Stevens, *Allendale*
Addison Tebbe, *Breese*
Brianna Tebbe, *Breese*

IOWA

Gretta Gouge, *Garner*
Brady Greiman, *Waterloo*
Casey Greiman, *Waterloo*
Katie Johnson, *Independence*
Michael Mulholland, *Dewitt*
Payton B. Peck, *Keota*
Dylan Weisskopf, *Victor*

KANSAS

Dustin D. Denton, *Blue Rapids*
Kayley Hanna, *Wichita*
Broxton Navinsky, *Easton*
Leanna Rust, *Hartford*
Trace Thomson, *Winfield*

LOUISIANA

Jimmy Sibille, *Ethel*

MAINE

Isabella McCarthy, *Houlton*

Continued on page 134

MARYLAND

- Ava Corinne Brendel, *Woodbine*
- Charles William Brendel, *Woodbine*
- Hayden Larimore Brendel, *Woodbine*
- Raven Herron, *Woodbine*
- James F. Mullinix, *Damascus*
- Jaedyn Tilly O'Dell, *Rising Sun*
- Joshua David Wivell, *Thurmont*

MICHIGAN

- Grayson Max Fosdick, *Ann Arbor*

MISSISSIPPI

- James Gunn IV, *Benton*
- Dawsyn Middleton, *Crystal Springs*

MISSOURI

- Ryker Blackford, *Maryville*
- Bryson Bouldin, *Rogersville*
- Briley T. Riepe, *Brookfield*

MONTANA

- Jaeda Paul, *Ismay*

NEBRASKA

- Hadley Dunklau, *Wayne*
- August Gerlach, *Dewitt*
- Kyler Plugge, *Lincoln*
- Collins Marie Porter, *Grand Island*
- Bailey Sellman, *Crawford*
- Diego Velazco, *Syracuse*

NEW MEXICO

- Hayes Glenn Gibson, *Mountainair*

NORTH CAROLINA

- Anna Brown, *Micro*
- Jaylan Gillespie, *Leicester*

NORTH DAKOTA

- Jake Cargo, *Towner*
- Ryan James Schumacher, *Dickinson*

OHIO

- Olivia Jones, *Harrod*
- David Leith, *Pedro*

OKLAHOMA

- Mason Budd, *Fletcher*
- Rylee Domeny, *Pawnee*

- Keeley Ford, *Sperry*
- Rhett Daniel Kelly, *Mustang*
- Berkley McKay, *Orlando*
- Jai Paxton, *Oklahoma City*
- Seth Tague, *Washington*

OREGON

- Kaylee Knoll, *Klamath*
- Peyton Rawe, *Tillamook*
- Alexis Robinson, *Marcola*

PENNSYLVANIA

- Faithlynn Moore, *Fairfield*

SOUTH CAROLINA

- Augustus James McPhail, *Seneca*

SOUTH DAKOTA

- Lyla Bothe, *Aurora*
- Dillon Kammerer, *Rapid City*

TENNESSEE

- Remi Gardner, *Paris*

TEXAS

- Dallas Remington Gomez, *Lampasas*
- Peyton Lindemann, *Nacogdoches*
- Payton Lucas, *Merkel*
- Fallon Sullivan, *Center*

VIRGINIA

- Riley James McCauley, *Leesburg*
- Bradley Sions, *Aldie*


WEST VIRGINIA

- Dalton C. Frye, *Linn*
- Brody Hanson, *Lewisburg*

WISCONSIN

- Alexa Bader, *Monroe*
- Kimber Fields, *Catawba*
- Trevor William Henkel, *Barneveld*

WYOMING

- Nathan Ondrizek, *Upton*
- Emily Jaye ZumBrunnen, *Lusk* 



Extended-Release Injectable Parasiticide
5% Sterile Solution
For the Treatment and Control of Internal and External Parasites of Cattle on Pasture with Persistent Effectiveness
Not for use in female dairy cattle 20 months of age or older, including dry dairy cows.
Not for use in calves to be processed for veal.
Not for use in breeding bulls, or in calves less than 3 months of age.
Not for use in cattle managed in feedlots or under intensive rotational grazing.
CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.
INDICATIONS FOR USE
LONGRANGE, when administered at the recommended dose volume of 1 mL per 110 lb (50 kg) body weight, is effective in the treatment and control of the following internal and external parasites of cattle:

Gastrointestinal Roundworms	Lungworms
<i>Bunostomum phlebotomum</i> – Adults and L ₄	<i>Dictyoacaulus viviparus</i> – Adults
<i>Cooperia oncophora</i> – Adults and L ₄	
<i>Cooperia punctata</i> – Adults and L ₄	
<i>Cooperia sumabada</i> – Adults and L ₄	Grubs
<i>Haemonchus placei</i> – Adults	<i>Hypoderma bovis</i>
<i>Oesophagostomum radiatum</i> – Adults	
<i>Ostertagia lyrata</i> – Adults	Mites
<i>Ostertagia ostertagi</i> – Adults, L ₄ and inhibited L ₄	<i>Sarcoptes scabiei</i> var. <i>bovis</i>
<i>Trichostrongylus axei</i> – Adults and L ₄	
<i>Trichostrongylus colubriformis</i> – Adults	

Parasites	Durations of Persistent Effectiveness
Gastrointestinal Roundworms	
<i>Bunostomum phlebotomum</i>	150 days
<i>Cooperia oncophora</i>	100 days
<i>Cooperia punctata</i>	100 days
<i>Haemonchus placei</i>	120 days
<i>Oesophagostomum radiatum</i>	120 days
<i>Ostertagia lyrata</i>	120 days
<i>Ostertagia ostertagi</i>	120 days
<i>Trichostrongylus axei</i>	100 days
Lungworms	
<i>Dictyoacaulus viviparus</i>	150 days

DOSE AND ADMINISTRATION
LONGRANGE® (eprinomectin) should be given only by subcutaneous injection in front of the shoulder at the recommended dosage level of 1 mg eprinomectin per kg body weight (1 mL per 110 lb body weight). Each mL of LONGRANGE contains 50 mg of eprinomectin, sufficient to treat 110 lb (50 kg) body weight. Divide doses greater than 10 mL between two injection sites to reduce occasional discomfort or site reaction. Do not underdose. Ensure each animal receives a complete dose based on a current body weight. Underdosing may result in ineffective treatment, and encourage the development of parasite resistance.

Body Weight (lb)	Dose Volume (mL)
110	1
220	2
330	3
440	4
550	5
660	6
770	7
880	8
990	9
1100	10

LONGRANGE is to be given subcutaneously only. Animals should be appropriately restrained to achieve the proper route of administration. Inject under the loose skin in front of the shoulder (see illustration) using a 16 or 18 gauge, 1/2 to 3/4 inch needle.



Sanitize the injection site by applying a suitable disinfectant. Clean, properly disinfected needles should be used to reduce the potential for injection site infections.

Withdrawal Periods and Residue Warnings
Animals intended for human consumption must not be slaughtered within 48 days of the last treatment. This drug product is not approved for use in female dairy cattle 20 months of age or older, including dry dairy cows. Use in these cattle may cause drug residues in milk and/or in calves born to these cows. A withdrawal period has not been established for pre-ruminating calves. Do not use in calves to be processed for veal.

Animal Safety Warnings and Precautions
The product is likely to cause tissue damage at the site of injection, including possible granulomas and necrosis. These reactions have disappeared without treatment. Local tissue reaction may result in trim loss of edible tissue at slaughter.

Observe cattle for injection site reactions. If injection site reactions are suspected, consult your veterinarian. This product is not for intravenous or intramuscular use. Protect product from light. LONGRANGE (eprinomectin) has been developed specifically for use in cattle only. This product should not be used in other animal species.

When to Treat Cattle with Grubs
LONGRANGE effectively controls all stages of cattle grubs. However, proper timing of treatment is important. For the most effective results, cattle should be treated as soon as possible after the end of the heel fly (warble fly) season.

Environmental Hazards
Not for use in cattle managed in feedlots or under intensive rotational grazing because the environmental impact has not been evaluated for these scenarios.

Other Warnings: Parasite resistance may develop to any dewormer, and has been reported for most classes of dewormers.

Treatment with a dewormer used in conjunction with parasite management practices appropriate to the geographic area and the animal(s) to be treated may slow the development of parasite resistance.

Fecal examinations or other diagnostic tests and parasite management history should be used to determine if the product is appropriate for the herd/flock, prior to the use of any dewormer. Following the use of any dewormer, effectiveness of treatment should be monitored (for example, with the use of a fecal egg count reduction test or another appropriate method).

A decrease in a drug's effectiveness over time as calculated by fecal egg count reduction tests may indicate the development of resistance to the dewormer administered. Your parasite management plan should be adjusted accordingly based on regular monitoring.

Macrocyclic lactones provide prolonged drug exposure that may increase selection pressure for resistant parasites. This effect may be more pronounced in extended-release formulations.

TARGET ANIMAL SAFETY
Clinical studies have demonstrated the wide margin of safety of LONGRANGE (eprinomectin). Overdosing at 3 to 5 times the recommended dose resulted in a statistically significant reduction in average weight gain when compared to the group tested at label dose. Treatment-related lesions observed in most cattle administered the product included swelling, hyperemia, or necrosis in the subcutaneous tissue of the skin. The administration of LONGRANGE at 3 times the recommended therapeutic dose had no adverse reproductive effects on beef cows at all stages of breeding or pregnancy or on their calves.

Not for use in bulls, as reproductive safety testing has not been conducted in males intended for breeding or actively breeding. Not for use in calves less than 3 months of age because safety testing has not been conducted in calves less than 3 months of age.

STORAGE
Store at 77° F (25° C) with excursions between 59° and 86° F (15° and 30° C). Protect from light.

Approved by FDA under NADA # 141-327
Made in Canada.

Manufactured for Boehringer Ingelheim Animal Health USA Inc., Duluth, GA 30096
The Cattle Head Logo and LONGRANGE are registered trademarks of Boehringer Ingelheim Animal Health USA Inc.
© 2019 Boehringer Ingelheim Animal Health USA Inc.
All rights reserved.
1050-2889-08, Rev. 01/2019, BLON016E US-B0V-0277-2019

